

**arneg**

www.arneg.it

Vertical multi-deck  
**Lisbona 2**




YOUR NATURALLY INNOVATIVE PARTNER FOR RETAIL SOLUTIONS

into the World

# Lisbona 2


Lisbona 2		Lunghezza senza spalle Length without ends Länge ohne Seiten Longeur sans joues Longitud sin laterales Длина без боковин	Temperatura di esercizio Working temperature Betriebstemperatur Temp. de fonctionnement Temperatura de trabajo Рабочая температура	Superficie di esposizione frontale Opening display surface Sichtbare Ausstellefläche Surface d'exposition frontale Superficie de exposición frontal Лицевая площадь экспозиции	Superficie di esposizione orizzontale Horizontal display surface Gesamte Ausstellefläche Surface d'exposition horizontale Superficie de exposición de apoyo Горизонтальная площадь экспозиции	Capacità utile Net volume Nutzleistung Capacité utile Capacidad útil Полезный объем	
		mm	°C	m <sup>2</sup>		dm <sup>3</sup>	
LF 1C	085	205	1250	+2°C / +4°C	1,99	3,87	827
			1875		2,99	5,80	1240
			2500		3,99	7,74	1654
			3750		5,98	11,61	2481
	218	1250	2,16		3,87	900	
		1875	3,23		5,80	1350	
		2500	4,31		7,74	1800	
		3750	6,47		11,61	2700	
	095	205	1250		1,99	3,99	853
			1875		2,99	5,99	1280
			2500		3,99	7,99	1706
			3750		5,98	11,98	2559
218	1250	2,16	3,99	934			
	1875	3,23	5,99	1402			
	2500	4,31	7,99	1869			
	3750	6,47	11,98	2803			
105	205	1250	1,99	4,12	879		
		1875	2,99	6,18	1319		
		2500	3,99	8,24	1759		
		3750	5,98	12,36	2638		
218	1250	2,16	4,12	961			
	1875	3,23	6,18	1441			
	2500	4,31	8,24	1921			
	3750	6,47	12,36	2882			
LF 2C	085	205	1250	0°C / +2°C +2°C / +4°C	1,99	3,87	827
			1875		2,99	5,80	1240
			2500		3,99	7,74	1654
			3750		5,98	11,61	2481
	218	1250	2,16		3,87	900	
		1875	3,23		5,80	1350	
		2500	4,31		7,74	1800	
		3750	6,47		11,61	2700	
	095	205	1250		1,99	3,99	853
			1875		2,99	5,99	1280
			2500		3,99	7,99	1706
			3750		5,98	11,98	2559
218	1250	2,16	3,99	934			
	1875	3,23	5,99	1402			
	2500	4,31	7,99	1869			
	3750	6,47	11,98	2803			
105	205	1250	1,99	4,12	879		
		1875	2,99	6,18	1319		
		2500	3,99	8,24	1759		
		3750	5,98	12,36	2638		
218	1250	2,16	4,12	961			
	1875	3,23	6,18	1441			
	2500	4,31	8,24	1921			
	3750	6,47	12,36	2882			



Lisbona 2 Testate Head-cases		Lunghezza totale External length Aussenlänge Longeur extérieur Longitud externa Внешняя Длина	Temperatura di esercizio Working temperature Betriebstemperatur Temp. de fonctionnement Temperatura de trabajo Рабочая температура	Superficie di esposizione frontale Opening display surface Sichtbare Ausstellfläche Surface d'exposition frontale Superficie de exposición frontal Лицевая площадь экспозиции	Superficie di esposizione orizzontale Horizontal display surface Gesamte Ausstellfläche Surface d'exposition horizontale Superficie de exposición de apoyo Горизонтальная площадь экспозиции	Capacità utile Net volume Nutzleistung Capacité utile Capacidad útil Полезный объем
		mm	°C	m <sup>2</sup>		dm <sup>3</sup>
LF 1C	205	1350	+2°C / +4°C	1,99	3,99	853
		1774		2,67	5,35	1142
		1975		2,99	5,99	1280
	218	2183		3,32	6,65	1421
		1350		2,16	3,99	934
		1774		2,89	5,35	1251
LF 2C	205	1350	0°C / +2°C +2°C / +4°C	1,99	3,99	853
		1774		2,67	5,35	1142
		1975		2,99	5,99	1280
	218	2183		3,32	6,65	1421
		1350		2,16	3,99	934
		1774		2,89	5,35	1251
		1975	3,23	5,99	1402	
		2183	3,59	6,65	1557	

## COMPOSIZIONI TESTATE - HEAD-CASE CONFIGURATIONS

- ① Testata/Head case    ② Mobile refrigerato lineare/Refrigerated linear cabinet    ③ Scaffalatura/Shelving





ARNEG S.p.A. - Via Venezia, 58 - 35010 Campo San Martino (PD) Italy - Tel. +39 049 9699333 - Fax +39 049 9699444 - RAEE IT8010000000139  
Certified ISO 9001:2008 - ISO 14001:2004 - ISO 50001:2011 - BSOHSAS 18001:2007  
Contenuto modificabile senza preavviso. Content can be changed without notice. Inhalt Veränderbar ohne Vorankündigung. Contenu modifiable sans préavis. Contenido modificable sin previo aviso. Содержание изменяется без предупреждения